EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	30	subnetwork near3 connection near3 system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 07:46
S2	339	subnetwork near3 connection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/01 17:58
S3	1	S2 and (lower near3 protection near3 layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/01 17:59
S4	9	S2 and (protection near3 layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/02 09:53
S5	1	S2 and (work$3 near3 leg)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/01 18:05
S6	3	S2 and (lower near3 protect$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/01 18:09
S7	1	S2 and (upper near3 protect$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/01 18:09
S9	339	subnetwork near3 connection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 12:11
S10	30	S9 and (line near3 (terminal or module or source or sink))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/02 09:58
S13	141	S9 and (controller or (control near3 (unit or module)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 18:16

S14	8	S13 and (work$3 near3 (layer or link))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/02 10:15
S15	47	S13 and (work$3 and protect$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/02 10:36
S16	6	S15 and (1+1 near3 protect$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/02 10:39
S17	3	"6,606,297".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 07:59
S18	2	"6,597,826".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 08:02
S19	2	"5,216,666".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 08:06
S20	2	"20030133556".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 17:40
S32	339	subnetwork near3 connection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 18:16
S36	30	S32 and (line near3 (terminal or module or source or sink))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 18:16
S37	5	S32 and (1:N near3 protection near3 scheme)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/06 18:17
S38	339	subnetwork near3 connection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 17:55

S39	6	S38 and (bridge near3 traffic)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 13:05
S40	23	S38 and (protect$3 near3 scheme)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 12:30
S41	8	S40 and 1:N	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 12:15
S42	5	S40 and (1:N near3 protection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 12:32
S43	7	S40 and (1+1 near3 protection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 12:17
S45	1	S40 and (UPSR near3 protection)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 12:17
S46	3	S38 and (lower near3 protect$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 13:00
S47	1	S38 and (upper near3 protect$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 13:01
S48	34	S38 and (lower near3 layer)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 12:19
S49	1	S38 and (lower near3 layer near3 protect$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 12:20
S50	1	S38 and (upper near3 protect$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 12:20

S51	6	S38 and (cell near3 switch near3 fabric)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 13:13
S52	2	"6,885,669".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 13:14
S53	339	subnetwork near3 connection	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 17:55
S54	339	S53	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 17:55
S55	1	S54 and ((1:N and 1+1 and UPSR) near3 protection near3 scheme)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 17:57
S56	5	S54 and ((1:N or 1+1 or UPSR) near3 protection near3 scheme)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 18:01
S57	1	S54 and ((VT and DS1) near3 mode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 18:02
S58	3	S54 and (VT and DS1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2007/08/07 18:02
S59	0	(state near3 map) and (upper near3 protect $5) and switch$5 and (line near3 module) and (subnetwork near3 connect$5) and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/31 17:21
S60	0	(state near3 map) and (upper near3 protect $5) and switch$5 and (line near3 module) and (subnetwork near3 connect$5) and 370/216.ccls. and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/31 17:21
S61	0	(state near3 map) and (upper near3 protect $5) and switch$5 and (line near3 module) and 370/216.ccls. and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/31 17:22

S62	0	(state near3 map) and (upper near3 protect $5) and switch$5 and (line near3 module) and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/31 17:22
S63	38	(state near3 map) and switch$5 and (line near3 module) and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/31 17:22
S64	11	(state near3 map) and switch$5 and (line near3 module) and protect$5 and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/31 17:23
S65	6	(subnetwork near6 protect$5 near3 scheme) and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/31 17:37
S66	3	(subnetwork near6 protect$5 near3 scheme) and group and set and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/31 17:47
S67	5	(subnetwork near6 connect$5 near6 protect $5 near3 scheme) and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/31 18:13
S68	34	(subnetwork near6 connect$5 near6 protect $5) and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/31 18:22
S69	21	(subnetwork near6 connect$5 near6 protect $5) and work$5 and protect$5 and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/31 18:23
S70	18	(subnetwork near6 connect$5 near6 protect $5) and work$5 and protect$5 and (group or set) and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/12/31 18:24

S71	0	(module near3 (state near2 data)) same ((stor$5 near4 updat$5) near3 data) and 370/216,223,227,231,247,363.ccls. and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/21 11:46
S72	0	(module near3 (state near2 data)) and ((stor$5 near4 updat$5) near3 data) and 370/216,223,227,231,247,363.ccls. and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/21 11:46
S73	0	(map$5 near3 (state near2 data)) and ((stor$5 near4 updat$5) near3 data) and 370/216,223,227,231,247,363.ccls. and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/21 11:47
S74	0	((map$5 or configurat$5) near3 (state near2 data)) and ((stor$5 near4 updat$5) near3 data) and 370/216,223,227,231,247,363.ccls. and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/21 11:47
S75	2	((map$5 or configurat$5) near3 (state near2 data)) and 370/216,223,227,231,247,363.ccls. and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/21 11:47
S76	10	((map$5 or configurat$5) near3 (state near2 (data or informat$5))) and 370/216,223,227,231,247,363.ccls. and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/21 11:51
S77	1	((map$5 or configurat$5) near3 (state near2 (data or informat$5))) and (stor$5 near4 updat$5) and 370/216,223,227,231,247,363.ccls. and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/21 12:03
S78	4	((map$5 or configurat$5) near3 (state near2 (data or informat$5))) and (link or path or channel) near6 (activat$5 or deactivat$5 or open$5 or clos$5) and stor$5 and updat$5 and 370/216,223,227,231,247,363.ccls. and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/21 12:07
S79	5	((map$5 or configurat$5) near3 (state near2 (data or informat$5))) and (link or path or channel) near6 (activat$5 or deactivat$5 or open$5 or clos$5) and 370/216,223,227,231,247,363.ccls. and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/21 12:09

S80	7	((map$5 or configurat$5) near3 (state near2 data)) and ((stor$5 near4 updat$5) near3 data) and "370"/$.ccls. and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/21 18:10
S81	2	(module near3 (state near2 data)) and ((stor$5 near4 updat$5) near3 data) and "370"/$.ccls. and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/21 18:14
S82	2	(module near3 (state near2 data)) and ((stor$5 near4 updat$5) near3 data) and "370"/$.ccls. and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/21 18:15
S83	32	((map$5 or configurat$5) near3 (state near2 (data or informat$5))) and (stor$5 near4 updat$5) and "370"/$.ccls. and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/21 18:16
S84	1	((map$5 or configurat$5) near3 (state near2 (data or informat$5))) same (stor$5 near4 updat$5) and "370"/$.ccls. and @ad<"20040302"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/07/21 18:16

7/21/2009 6:20:06 PM
C:\ Documents and Settings\ sbokhari\ My Documents\ EAST\ Workspaces\ 10791506.wsp